

T/A Thickener

PRODUCT DESCRIPTION	Powdery material based on polyethylene.
PURPOSE	It is used for adjusting consistency (thickening) of Floor expert products based on organic resins.
PROPERTIES	<ul style="list-style-type: none"> • Easy mixing into the materials based on reactive resins • Resistant to light, weathering, and alkalis • Prevents sagging of the material applied on vertical and slanted surfaces • Enables a structured surface appearance (an anti-slip effect). • Adjusts consistency of the epoxy mortars for trowel application.
TECHNICAL DATA	<p>Appearance: white powder Density: 0,96 kg/l Moisture content: max 2% Fiber length: 0,1- 0,25 mm Tensile strength: 3,1 -5,2 N/mm²</p>
APPLICATION CONDITIONS	Substrate and air temperature: min. +10 °C; max. +30 °C Relative air humidity: max. 80 %
APPLICATION METHOD	The material can be added into the component A (by Floor expert EP products it could also be added also into the comp. B) or into the mixture (A+B) and mix thoroughly by an electrical mixer until a homogeneous mixture without lumps is obtained. The dosage is dependent on the application method and the type of the product.
CONSUMPTION	0,5- 4,0 %, based on product (A+B), depending on the desired consistency
PACKAGING	Plastic packaging of 1 kg and 10 kg.
COLOUR RANGE/GLOSS	Transparent/ matte
STORAGE	Store in originally sealed containers at temperatures from +5°C to +30°C, protected from moisture, drafts and UV radiation. Shelf life: 3 years

Last update: March 2021.

Limitation of Liability. The information in this data sheet is based upon laboratory tests we believe to be accurate and is intended for guidance only. All recommendations or suggestions relating to the use of the products made by Chromos, whether in technical documentation or in response to specific enquiry or otherwise are based on data which to the best of our knowledge are reliable. It is end user's responsibility to determine the suitability of the product for its intended use. Producer has no control over either the quality or condition of the substrate, or the many factors affecting the use and application of the product. Chromos does therefore not accept any liability arising from loss, injury or damage resulting from such use. The data contained herein are liable to modification as result of practical experience and continuous product development.